

**Week 31: 3/28-4/1 Math I**

**Due: 4/4**

**Objectives:**

1. To model exponential growth and decay.
2. To relate exponential growth and decay to the real world.
- 3.
- 4.

**Monday:**

**In Class:**

**No Class**

**Homework:**

**None**

**Tuesday:**

**In Class:**

**Section 5-4: #1-7**

**Homework:**

**Section 5-4: #9-21**

**Wednesday:**

**Homework:**

**Complete Exponential Growth and Decay Handout**

**Thursday:**

**In Class:**

**M&M's In Class Activity**

**Homework:**

**Complete questions from M&M Activity**

**Friday:**

**Homework:**

**Go to text website: [www.pearsonsuccessnet.com](http://www.pearsonsuccessnet.com)**

**Click on section 5-5 and WATCH online problems 1-3 and complete "Got It's" that follow.**

**THESE WILL BE CHECKED MONDAY FOR COMPLETION OR POINTS WILL BE DEDUCTED.**

## Exponential Growth and Decay Homework

### Practice with Exponential Growth and Decay:

1. You deposit \$1500 in an account that pays 5% interest compounded yearly. Find the balance after 6 years.
2. The mice population is 25,000 and is decreasing by 20% each year. Write a model for this situation.
3. Given the model for #2, what will be the mice population after 3 years?
4. The number of mosquitoes at the beach has tripled every year since 1999. In 1999, there were 25,000 mosquitoes. Write a model for this situation.
5. Given the model for #4, how many mosquitoes will there be in 2005?
6. Given the exponential model  $y = 200(.80)^x$ , tell whether the model represents exponential growth or decay, tell what the growth/decay factor is and the growth/decay percent.
7. If I have \$500 in my account after 4 years investing at 2.5% compounded annually, how much money did I start with? (HINT: Use a negative exponent since you are looking for an amount in the past.)
8. I bought a car for \$25,000 but its value is depreciating at a rate of 10% per year. How much will my car be worth after 8 years?

Names: \_\_\_\_\_



## m&m's Lab (Exponential Growth and Decay)

The purpose of this lab is to provide a model to illustrate exponential growth and decay. This growth and decay, as discussed in class already, can be the model for population growth, growth of cancerous cells in a body, the amount money in a bank based on principal and interest, the number of cell phones in circulation in the United States, the number of eliminated players in a tennis tournament, etc.

In our experiment, we will represent the growth of a cancer cell using M&Ms. First, we will focus on modeling exponential growth, then we will change the situation in order to represent exponential decay. You will conduct **up to** 14 trials and record the number of "cancerous cells" in the body.


### DO NOT EAT the M&Ms until you are done collecting all the data!

#### Exponential Growth Procedure:

1. Place 2 M&Ms in a cup. This is trial number 0.
2. Shake the cup and dump the M&Ms on the plate/work surface.  
FOR EVERY M&M THAT HAS THE "M" SHOWING, ADD ANOTHER M&M TO YOUR CUP AND THEN RECORD THE NEW POPULATION (If 2 M&Ms land face up, add 2 more M&Ms to the cup).
3. Repeat Step 2 until you are done with 14 trials **OR** you run out of M&Ms.

| Trial #                  | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|--------------------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| # of M&Ms (cancer cells) | 2 |   |   |   |   |   |   |   |   |   |    |    |    |    |    |

4. Graph your data (scatterplot). The x-axis should represent the trial number and the y-axis should represent the number of M&Ms/cancer cells.



Names: \_\_\_\_\_

5. What is the y-intercept in the graph? What does the y-intercept represent in the context of the problem?

6. Will the graph ever cross the x-axis? Why or why not?

7. After you shook the cup and before you emptied them out on the plate/work surface, what percentage of M&Ms did you expect to land with the M facing up? **EXPLAIN YOUR REASONING.**

8. Calculate the actual percentage change between each trial, use the formula

$$\frac{\#M\&Ms \text{ in phase 1} - \#M\&Ms \text{ in phase 0}}{\#M\&Ms \text{ in phase 0}} = \frac{\text{new amount} - \text{old amount}}{\text{old amount}}$$



| Trial #                  | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|--------------------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|
| # of M&Ms (cancer cells) | X |   |   |   |   |   |   |   |   |   |    |    |    |    |    |

9. CALCULATE THE AVERAGE OF ALL THE PERCENTS: \_\_\_\_\_.

10. We can write an exponential growth function that models the above data. The formula that we will use for the model is  $y = C(1+r)^t$ .

The initial number of M&Ms:  $C =$  \_\_\_\_\_.

Rate of growth (calculated in #9)  $r =$  \_\_\_\_\_ (written as a decimal).

Time (the phase/trial number)  $t =$  # of the trial

Fill in the variables into the formula to get your exponential growth equation:

Names: \_\_\_\_\_

11. We can also use our handy graphing calculator to write the exponential growth function. You will need to enter the data into the calculator and then run a statistical test to come up with the model.

Click **STAT**, and under **EDIT** choose **Edit**. A blank table should appear. Under **L<sub>1</sub>** you are going to list the trial numbers. Under **L<sub>2</sub>**, list the number of M&Ms corresponding to the trial.

Now, we will find the "curve of best fit." The calculator will help us come up with the equation that *best models the data* that we entered. Click **STAT** again, scroll to **CALC**, select **ExpReg**, press **ENTER**. Write the exponential equation rounded to two decimal places.



$$y = \frac{\quad}{a} \cdot \left( \frac{\quad}{b} \right)^x$$

12. Using the exponential model you came up with in #10, show your work and predict the number of cancerous cells there would be in:

Trial 25: \_\_\_\_\_

Trial 50: \_\_\_\_\_

13. Using the exponential model you came up with in #11, show your work and predict the number of cancerous cells there would be in:

Trial 25: \_\_\_\_\_

Trial 50: \_\_\_\_\_

14. Provide a possible explanation for the difference in the numbers of cancerous cells at trial 25 and trial 50 in #12 and #13.


Names: \_\_\_\_\_

**Exponential Decay Procedure:**

- 15. Count the number of M&Ms that you have. Record this number under Trial 0.
- 16. This time, when you shake the cup and dump out the M&Ms, remove the M&Ms that are face-up. Record the M&M population.
- 17. Continue the process until you fill in the table **OR** when your M&M/bacteria population gets below 2. **DO NOT RECORD 0** as your answer.

| Trial #                  | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--------------------------|---|---|---|---|---|---|---|---|---|---|----|
| # of M&Ms (cancer cells) |   |   |   |   |   |   |   |   |   |   |    |

- 18. Graph your data (scatterplot). The x-axis should represent the trial number and the y-axis should represent the number of M&Ms/cancer cells.



- 19. Look back to the graph of the exponential growth of bacteria in #4. What do you notice about the shape of the graphs? What are the intercepts of each graph and what do they mean in the context of the problem? Which graph represents growth and which represents decay? How can you tell?

Names: \_\_\_\_\_

20. In the directions for exponential decay, it is clearly stated not to record 0 as the final number? Why does the number of M&Ms never equal to 0? **EXPLAIN.**

21. Using the calculator, clear the lists (select the title of the list and press **CLEAR**), and enter the new data. Repeat the steps from #11 and write the exponential regression function to two decimal places.



$$y = \frac{\quad}{a} \cdot \left( \frac{\quad}{b} \right)^x$$

22. Using the equation from #21, determine the number of cancerous cells at phase 4. This is the theoretical number of bacteria at this stage. How is this number different from your actual number at phase 4? Are they the same? Are they similar? Suggest some reasons as to why your results might be different. **EXPLAIN.**

### Discussion:

23. Look back at your  $a$  values in the exponential models you derived from the calculators. What was the  $a$  value of the exponential growth model? What was the  $a$  value of the exponential decay model? Why are the values different?

24. In the exponential model  $y = a \cdot b^x$ , what does the  $a$  value represent? BE SPECIFIC.

25. In the exponential model  $y = a \cdot b^x$  what does the  $b$  value represent? How can you tell if an exponential function is growth or decay just by looking at the function/equation? Give an example of growth and decay.